

Search Query Case No. 10/632,836

1	20040046940	US-PGPUB
1	20040046940 and (spacer\$1 with heat)	US-PGPUB
1	20040046940 and (spacer\$1 with heat with insulative)	US-PGPUB
2	(modulator\$1 same (color\$1 with combin\$3) same convert\$3) and (spacer\$1 with heat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	modulator\$1 same (color\$1 with combin\$3) same convert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	(modulator\$1 same (color\$1 with combin\$3) same convert\$3) and heat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
607	modulator\$1 same (color\$1 with combin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100368	(359).CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12096	(353).CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110297	((("359").CLAS.) or (("353").CLAS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
245	(modulator\$1 same (color\$1 with combin\$3)) and (((("359").CLAS.) or ((("353").CLAS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	2002/0015138.PN.	USPAT
25238	resin with heat\$3 with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
327	acrylic with resin with heat\$3 with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	acrylic with resin with heat\$3 with insulative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	("6639743").PN.	USPAT

1	((("6639743").PN.) and (modulator\$1 with heat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("20040046940").PN.	US-PGPUB
1	((("20040046940").PN.) and (modulator\$1 with heat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("20040046940").PN.) and (convert\$3 with heat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("20040046940").PN.) and (modulator\$1 with thermal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	((("6639743").PN.) and (modulator\$1 with thermal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("6639743").PN.) and (modulator\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("6639743").PN.) and (spacer\$1 with adhesi\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("20040046940").PN.) and (control adj cable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
245	(modulator\$1 same (color\$1 with combin\$3)) and (((("359").CLAS.) or ((("353").CLAS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((modulator\$1 same (color\$1 with combin\$3)) and (((("359").CLAS.) or ((("353").CLAS.))) and (cas\$3 with (heat\$3 or thermal\$2) with conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(modulator\$1 same (color\$1 with combin\$3)) and (cas\$3 with (heat\$3 or thermal\$2) with conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	(modulator\$1 same (color\$1 with combin\$3)) and (cas\$4 with (heat\$3 or thermal\$2) with conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

18	(modulator\$1 same (color\$1 with combin\$3)) and (cas\$4 with (heat\$3 or thermal\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28320	cas\$3 with (heat\$3 or thermal\$2) with conduct\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
656	cas\$3 with transfer\$3 with (heat\$3 or thermal\$2) with conductive\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
625	cas\$3 with transfer\$3 with (heat\$3) with conductive\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	cas\$3 with transfer\$3 with (heat\$3) with conductively	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
0	((("6639743").PN.) and ((cable\$1 or wir\$4) with modulator\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("6639743").PN.) and (cable\$1 or wir\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("6639743").PN.) and (fan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("6639743").PN.) and (cooling adj fan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1	((("20040046940").PN.) and (optical adj component adj casing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2022	(359/629,634,636,638,640).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
1200	(353/31,33,81).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	(373/75).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

3177	((359/629,634,636,638,640).CCLS.) or ((353/31,33,81).CCLS.) or ((373/75).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
607	(modulator\$1 same (color\$1 with combin\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	((((359/629,634,636,638,640).CCLS.) or ((353/31,33,81).CCLS.) or ((373/75).CCLS.)) and ((modulator\$1 same (color\$1 with combin\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB